



»powerShrink« The Modular Heat Shrink Station

Highlights

- **Quick**
Turntable for quick and easy exchange of different holders; quick heat shrinking and cooling process
- **Flexible**
Modular design for individual adjustments as needed
- **Safe**
Optimum protection through simple, clear and safe operation, flue gas suction device
- **Clear**
Integrated workbench for overview and order
- **Process safe**
Reliable process transfer of heat shrinking parameters from the presetter to the »powerShrink«
- **Universal**
Universal usability for all HSS and hard metal tools from 3 to 32 mm diameter; also suitable for extremely long tools

Technical data

3kVA	D3-16
Water cooler, 5 cooling bells	Turntable
»powerShrink Efficient«	
Inductor	Guide washer
3kVA	D3-32
Water cooler, 5 cooling bells	Turntable
»powerShrink Efficient Plus«	
Inductor	Guide washer
3kVA	D3-32
Water cooler, 5 cooling bells inclusive	Turntable
»powerShrink Efficient«	
Inductor	Guide washer
13kVA/VS, adjustable inductor	D3-32
Water cooler, 5 cooling bells	Turntable
»powerShrink Efficient Plus«	
Inductor	Guide washer
13kVA/VS, adjustable inductor	D3-32
Water cooler, 5 cooling bells inclusive	Turntable
»powerShrink Comfort«	
Inductor	Guide washer
13kVA	D3-32
Water cooler, 5 cooling bells inclusive	Turntable inclusive
»powerShrink Comfort«	
Inductor	Guide washer
13kVA/VS, adjustable inductor	D3-32
Water cooler, 5 cooling bells inclusive	Turntable inclusive
»powerShrink Profi Plus«	
Inductor	Guide washer
20kVA/VS, adjustable inductor	D3-32 and D40-50 or D40-50
Water cooler, 5 cooling bells	Turntable

Options



ZOLLER »toolSet«

The optimal supplement for »powerShrink« – »toolSet« allows you to heat shrink your tools quickly, easily and precisely in accordance with the nominal length.

- Inductive heat shrinking device for heat shrinking and unclamping tools in record time
- User-friendly for quick, problem-free and above all safe work
- »toolSet-System« for quick and uncomplicated heat shrinking to the nominal longitudinal size

- 1 | Holder unit
- 2 | Adjustment pins
- 3 | Measuring system
- 4 | Pin-selection scale
- 5 | Insert prism
- 6 | Bearing surface adjustment pin

Heat Shrinking in Record Time

ZOLLER »powerShrink« is the inductive heat shrinking device for HSS and hard metal tools, with which you can considerably reduce the fitting times in your manufacturing: In max. 10 seconds your tools are heat shrunk, cooled after just 40 further seconds and are ready for production. The precise time to heat and cool depends on tool diameter.

Benefit from the high degree of rotation accuracy, long service life and reduced tool expenses.

